

Cjenik LED žarulja - 17.1. 2023

LED žarulje G4 - pin sa strane




šifra art.	Podnožje, broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6011	G4, 9 x SMD 2835, fi 25 mm	HB - 6000 K	10-30V DC	130 LM	1,5 W	120°	5,10 EUR
6010	G4, 9 x SMD 2835, fi 25 mm	TB - 3200 K	10-30V DC	120 LM	1,5 W	120°	5,10 EUR
6017	G4, 12 x SMD 2835, fi 30 mm	HB - 6000 K	10-30V DC	190 LM	2,0 W	120°	5,90 EUR
6014	G4, 12 x SMD 2835, fi 30 mm	TB - 3200 K	10-30V DC	170 LM	2,0 W	120°	5,90 EUR
6018	G4, 21 x SMD 2835, fi 35 mm	HB - 6000 K	10-30V DC	310 LM	3,0 W	120°	7,70 EUR
6029	G4, 21 x SMD 2835, fi 44 mm	HB - 6000 K	10-30V DC	378 LM	3,0 W	120°	7,70 EUR
6019	G4, 21 x SMD 2835, fi 35 mm	TB - 3200 K	10-30V DC	270 LM	3,0 W	120°	7,70 EUR
9964	G4, 10+6 x SMD 5050, fi 33 mm	t.bijela / crvena	10-30V DC	140 LM	1,8 W / 0,9 W	120°	12,50 EUR
9971	G4, 9 x SMD 5050, fi 30 mm	RGB	10-30V DC			120°	8,90 EUR

LED žarulje G4 - pin pozadi



šifra art.	Podnožje, broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6023	G4, 9 x SMD 2835, fi 25 mm	HB - 6000 K	10-30V DC	130 LM	1,5 W	120°	5,40 EUR
6024	G4, 9 x SMD 2835, fi 25 mm	TB - 3200 K	10-30V DC	120 LM	1,5 W	120°	5,40 EUR
6021	G4, 12 x SMD 2835, fi 30 mm	HB - 6000 K	10-30V DC	190 LM	2,0 W	120°	5,90 EUR
6020	G4, 12 x SMD 2835, fi 30 mm	TB - 3200 K	10-30V DC	170 LM	2,0 W	120°	5,90 EUR
6025	G4, 21 x SMD 2835, fi 35 mm	HB - 6000 K	10-30V DC	310 LM	3,0 W	120°	nedostupno
6026	G4, 21 x SMD 2835, fi 35 mm	TB - 3200 K	10-30V DC	270 LM	3,0 W	120°	7,70 EUR
6028	G4, 21 x SMD 2835, fi 44 mm	HB - 6000 K	10-30V DC	378 LM	3,0 W	120°	7,70 EUR

LED žarulje G4 bulb



šifra art.	Podnožje, broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6254	G4, 15x SMD Ultra bright 3528, fi 13, v 22 mm	HB - 6679 K	10-30V DC	146 LM	1,4 W	300°	6,80 EUR
9803	G4, 15x SMD Ultra bright 3528, fi 13, v 22 mm	TB - 2983 K	10-30V DC	136 LM	1,4 W	300°	6,80 EUR
6255	G4, 18x SMD 2835, fi 18, v 26 mm	HB - 6311 K	10-30V DC	271 LM	2,4 W	300°	7,70 EUR
5205	G4, 18x SMD 2835, fi 18, v 26 mm	TB - 3200 K	10-30V DC	241 LM	2,3 W	300°	7,70 EUR
2153	G4, 66x SMD 3528, fi 25, v 47 mm	HB - 6300 K	10-30V DC	347 LM	3,2 W	300°	8,20 EUR
8096	G4, 66x SMD 3528, fi 25, v 47 mm	TB - 2987 K	10-30V DC	319 LM	3,0 W	300°	8,20 EUR
1002	ADAPTER sa E27 na G4 podnožje						nedostupno
1008	ADAPTER sa E14 na G4 podnožje						nedostupno



LED žarulje Bayonete BA9s



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9910	BA9s	12x SMD3014 - MICRO	TB - 3200 K	10-16V DC	35 LM	0,5 W	360°	5,80 EUR
9909	BA9s	5x SMD Ultra bright 3528	TB - 2973 K	10-30V DC	137 LM	1,4 W	360°	5,80 EUR
9942	BA9s	15x SMD Ultra bright 3528	TB - 2973 K	10-30V DC	137 LM	1,4 W	360°	6,50 EUR

LED žarulje Bayonete BA15 - 8x SMD5050



1,4 W



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
5500	BA15d	8 x SMD5050	TB - 3200 K	10-30V DC	112 LM	1,4 W	120°	5,90 EUR
5501	BAY15d	8 x SMD5050	TB - 3200 K	10-30V DC	112 LM	1,4 W	120°	5,90 EUR
5502	BA15s	8 x SMD5050	TB - 3200 K	10-30V DC	112 LM	1,4 W	120°	5,90 EUR

LED žarulje Bayonete BA15 - 15x SMD3528 ultra bright

1,6 W



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9955	BA15d	15 x SMD3528 ultra b.	HB - 6000 K	10-30V DC	165 LM	1,6 W	360°	8,20 EUR
9956	BAY15d	15 x SMD3528 ultra b.	HB - 6000 K	10-30V DC	165 LM	1,6 W	360°	8,20 EUR
9954	BA15s	15 x SMD3528 ultra b.	HB - 6000 K	10-30V DC	165 LM	1,6 W	360°	8,20 EUR
9960	BA15d	15 x SMD3528 ultra b.	TB - 3200 K	10-30V DC	150 LM	1,6 W	360°	8,20 EUR
9961	BAY15d	15 x SMD3528 ultra b.	TB - 3200 K	10-30V DC	150 LM	1,6 W	360°	8,20 EUR
9962	BA15s	15 x SMD3528 ultra b.	TB - 3200 K	10-30V DC	150 LM	1,6 W	360°	8,20 EUR

LED žarulje Bayonete BA15 - 13x SMD2835

1,9 W




10-30 V DC



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
1350	BA15d	13 x SMD2835	TB - 3200 K	10-30V DC	185 LM	1,9 W	360°	8,50 EUR
1351	BAY15d	13 x SMD2835	TB - 3200 K	10-30V DC	185 LM	1,9 W	360°	8,50 EUR

LED žarulje Bayonete BA15 - 18x SMD2835

2,3 W




šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
1330	BA15d	18 x SMD2835	TB - 3200 K	10-30V DC	260 LM	2,3 W	360°	8,80 EUR
1331	BAY15d	18 x SMD2835	TB - 3200 K	10-30V DC	260 LM	2,3 W	360°	8,80 EUR
1332	BA15s	18 x SMD2835	TB - 3200 K	10-30V DC	260 LM	2,3 W	360°	8,80 EUR

LED žarulje Bayonete BA15 - 2,4W & 2,6W

2,4W




18x SMD 2835



2,4W




18x SMD 2835 - M



2,6W



24x SMD 2835




šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9973	BA15s	18 x SMD5050	TB - 3200 K	10-30V DC	231 LM	2,8 W	360°	8,50 EUR
2313	BA15d	18 x SMD2835	HB - 6000 K	10-30V DC	252 LM	2,4 W	360°	8,50 EUR
2314	BAY15d	18 x SMD2835	HB - 6000 K	10-30V DC	252 LM	2,4 W	360°	nedostupno
2310	BA15d	18 x SMD2835	TB - 3200 K	10-30V DC	216 LM	2,4 W	360°	8,50 EUR
2311	BAY15d	18 x SMD2835	TB - 3200 K	10-30V DC	216 LM	2,4 W	360°	nedostupno
9968	BA15d	18 x SMD2835 - M	HB - 6000 K	10-30V DC	286 LM	2,4 W	360°	8,50 EUR
2421	BAY15d	18 x SMD2835 - M	HB - 6000 K	10-30V DC	286 LM	2,4 W	360°	8,50 EUR
9970	BA15d	18 x SMD2835 - M	TB - 3200 K	10-30V DC	250 LM	2,4 W	360°	8,50 EUR
2420	BAY15d	18 x SMD2835 - M	TB - 3200 K	10-30V DC	250 LM	2,4 W	360°	8,50 EUR
2425	BA15s	24 x SMD2835	TB - 3200 K	10-30V DC	308 LM	2,6 W	360°	9,10 EUR
2422	BA15d	24 x SMD2835	TB - 3200 K	10-30V DC	308 LM	2,6 W	360°	9,10 EUR
2423	BAY15d	24 x SMD2835	TB - 3200 K	10-30V DC	308 LM	2,6 W	360°	9,10 EUR
2424	BAY15d	24 x SMD2835	HB - 6000 K	10-30V DC	320 LM	2,6 W	360°	9,10 EUR
2427	BA15d	24 x SMD2835	HB - 6000 K	10-30V DC	320 LM	2,6 W	360°	9,10 EUR



LED žarulje Bayonete BA15 - 2W, 3W



2W
10-30V DC



3W
10-30V DC





šifra art.	tip podnožja	Opis proizvoda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
2367	BA15d	Keramičko kućište, parabola 360°	TB - 3200 K	10-30V DC	2,0 W	2,0 W	360°	6,50 EUR
2368	BAY15d	Keramičko kućište, parabola 360°	TB - 3200 K	10-30V DC	2,0 W	2,0 W	360°	6,50 EUR
2374	BA15d	Keramičko kućište, parabola 360°	TB - 3200 K	10-30V DC	3,0 W	3,0 W	360°	6,50 EUR

LED žarulje Bayonete BA15 - 18x SMD2835 - SENZOR

2,4 W

SENZOR



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
5414	BA15d	18 x SMD2835	TB - 3200 K	10-30V DC	248 LM	2,4 W	360°	9,90 EUR
5415	BAY15d	18 x SMD2835	TB - 3200 K	10-30V DC	248 LM	2,4 W	360°	9,90 EUR


LED žarulja sa noćnim senzorom - automatsko paljenje ponoći!

Adapteri bayonete na G4



šifra art.	Opis proizvoda	cjena sa pdv-jem
1003	Adapter sa bayonete BA15d na G4	1,90 EUR
1004	Adapter sa bayonete BAY15d na G4	1,90 EUR
1005	Adapter sa bayonete BA15s na G4	1,90 EUR

LED žarulje Festoon 10-30 V DC



šifra art.	širina kontakta	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
1328	31 MM	4 x SMD2835	HB - 6300 K	10-30V DC	62 LM	0,6 W	120°	4,10 EUR
1329	31 MM	4 x SMD2835	TB - 3200 K	10-30V DC	54 LM	0,6 W	120°	4,10 EUR
2115	37 MM	3 x SMD2835	TB - 3200 K	10-30V DC	38 LM	0,6 W	120°	4,40 EUR
1344	37 MM	6 x SMD3014, staklena zaštita	HB - 6300 K	10-30V DC	68 LM	0,8 W	120°	4,40 EUR
1320	37 MM	6 x SMD2835	HB - 6300 K	10-30V DC	132 LM	1,3 W	120°	4,90 EUR
1321	37 MM	6 x SMD2835	TB - 3200 K	10-30V DC	118 LM	1,3 W	120°	4,90 EUR
9812	37 MM	6 x SMD5050	HB - 6300 K	10-30V DC	134 LM	1,5 W	120°	4,90 EUR
9963	42 MM	3 x SMD5050	HB - 6300 K	10-30V DC	45 LM	0,6 W	120°	4,40 EUR
9810	42 MM	6 x SMD5050	HB - 6300 K	10-30V DC	134 LM	1,5 W	120°	4,90 EUR
1325	42 MM	6 x SMD2835	HB - 6300 K	10-30V DC	132 LM	1,3 W	120°	4,90 EUR
1326	42 MM	6 x SMD2835	TB - 3200 K	10-30V DC	118 LM	1,3 W	120°	4,90 EUR
1340	42 MM	9 x SMD2835 - V	HB - 6300 K	10-30V DC	230 LM	1,9 W	210°	6,60 EUR
1341	42 MM	9 x SMD2835 - V	TB - 3200 K	10-30V DC	210 LM	1,9 W	210°	6,60 EUR

Festoon 360° 10-30VDC



2140	31 MM	8 x SMD3528, ULTRA BRIGHT	TB - 3200 K	10-30V DC	79 LM	0,8 W	360°	5,90 EUR
9948	37 MM	12 x SMD3528, ULTRA BRIGHT	TB - 3200 K	10-30V DC	105 LM	1 W	360°	6,10 EUR
9864	42 MM	12 x SMD3528, ULTRA BRIGHT	TB - 3200 K	10-30V DC	105 LM	1 W	360°	6,10 EUR
9947	42 MM	12 x SMD3528, AS - uvučeni kontakti	HB - 6000 K	10-30V DC	116 LM	1 W	360°	7,50 EUR
9946	42 MM	12 x SMD3528, AS - uvučeni kontakti	TB - 3200 K	10-30V DC	105 LM	1 W	360°	7,50 EUR

LED alu profili - SMD3014




šifra art.	dužina	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6105	30 cm	42 x SMD3014	HB - 6000 K	10-30V DC	380 LM	5,0 W	120°	10,30 EUR
9885	50 cm	54 x SMD3014	HB - 6000 K	10-30V DC	470 LM	6,0 W	120°	12,50 EUR

LED žarulje MR 16 (GU 5.3)




šifra art.	Opis proizvoda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9527	GU 5.3, 2.2W, staklo	TB - 3200 K	10-30V DC	240 LM	5,0 W	120°	7,50 EUR
9624	GU 5.3, 5W, SMD2835, mat staklo	TB - 3200 K	10-30V DC	350 LM	5,0 W	120°	7,90 EUR
9625	GU 5.3, 5W, SMD2835, mat staklo	HB - 6000 K	10-30V DC	370 LM	5,0 W	120°	7,90 EUR

LED žarulje MR 11



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9978	GU 4.0	3x SMD3535	TB - 3200 K	10-30V DC	170 LM	2,5 W	120°	6,90 EUR

LED žarulje E14, E27 - 12V & 10-30V DC



šifra art.	Opis artikla	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
2231	E14, CORN, 24x SMD2835	HB - 6000K	10-30V DC	380 LM	2,8 W	360°	10,90 EUR
2230	E14, CORN, 24x SMD2835	TB - 3200 K	10-30V DC	360 LM	2,8 W	360°	10,90 EUR
2226	E27, CORN, 24x SMD2835	HB - 6000K	10-30V DC	380 LM	2,8 W	360°	11,50 EUR
2227	E27, CORN, 24x SMD2835	TB - 3200 K	10-30V DC	360 LM	2,8 W	360°	11,50 EUR
2221	E27, CORN, 24x SMD2835, PVC ZAŠTITA	HB - 6000K	10-30V DC	380 LM	2,8 W	360°	11,80 EUR
2220	E27, CORN, 24x SMD2835, PVC ZAŠTITA	TB - 3200 K	10-30V DC	360 LM	2,8 W	360°	11,80 EUR
6251	E27, CORN, 66x SMD2835, fi 31 mm, v 75 mm	HB - 6491K	10-30V DC	633 LM	5,6 W	360°	16,90 EUR
6250	E27, CORN, 66x SMD2835, fi 31 mm, v 75 mm	TB - 2879 K	10-30V DC	578 LM	5,5 W	360°	16,90 EUR
6241	E27, CORN, 90x SMD2835, fi 37 mm, v 82,7 mm	HB - 6491K	10-30V DC	1120 LM	9 W	360°	17,90 EUR
6240	E27, CORN, 90x SMD2835, fi 37 mm, v 82,7 mm	TB - 2879 K	10-30V DC	1000 LM	9 W	360°	17,90 EUR



10-30V DC

šifra art.	Opis artikla	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
4288	E14, Thermoplastic, 6W, FI 45 mm, V 80 mm	TB - 3000 K	10-30V DC		6 W	240°	6,90 EUR
5148	E27, Thermoplastic, 7W, FI 60 mm, V 110 mm	TB - 3000 K	10-30V DC		7 W	240°	7,40 EUR
5149	E27, Thermoplastic, 10W, FI 60 mm, V 110 mm	TB - 3000 K	10-30V DC		10 W	240°	7,60 EUR
5150	E27, Thermoplastic, 10W, FI 60 mm, V 110 mm	HB - 6000 K	10-30V DC		10 W	240°	7,60 EUR
5141	E27, Thermoplastic, 15W, FI 70 mm, V 135 mm	TB - 3000 K	10-30V DC		15 W	240°	8,40 EUR
5140	E27, Thermoplastic, 15W, FI 70 mm, V 135 mm	HB - 6000 K	10-30V DC		15 W	240°	8,40 EUR
5143	E27, Thermoplastic, 18W, FI 80 mm, V 150 mm	TB - 3000 K	10-30V DC		18 W	240°	9,50 EUR
5142	E27, Thermoplastic, 18W, FI 80 mm, V 150 mm	HB - 6000 K	10-30V DC		18 W	240°	9,50 EUR

LED reflektori 10-30V DC



10 - 30 V DC

šifra art.	Opis artikla	boja svjetlosti	ulazni napon	svjetlostna jakost	snaga W	kut isijavanja	cjena sa pdv-jem
2588	LED REFLEKTOR SLIM, SMD LED, 10 W	HB - 6000K	10-30V DC	800 LM	10 W	120°	nedostupno
2587	LED REFLEKTOR SLIM, SMD LED, 10 W	TB - 3200 K	10-30V DC	800 LM	10 W	120°	19,00 EUR
2585	LED REFLEKTOR SLIM, SMD LED, 20 W	HB - 6000K	10-30V DC	1600 LM	20 W	120°	nedostupno
2586	LED REFLEKTOR SLIM, SMD LED, 20 W	TB - 3200 K	10-30V DC	1500 LM	20 W	120°	29,50 EUR
2590	LED REFLEKTOR SLIM, SMD LED, 35 W	HB - 6000K	10-30V DC	2700 LM	35 W	120°	33,50 EUR
2592	LED REFLEKTOR SLIM, SMD LED, 35 W	TB - 3200 K	10-30V DC	2700 LM	35 W	120°	33,50 EUR
2240	RADNI REFLEKTOR 20 W - kockasti, IP67	HB - 6000K	10-30V DC	1900 LM	20 W	36°	nedostupno