

## Cjenik LED žarulja - 5.12. 2024

### LED žarulje G4 - pin sa strane




šifra art.	Podnožje, broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6011	G4, 9 x SMD 2835, fi 25 mm	HB - 6000 K	10-30V DC	130 LM	1,5 W	120°	5,10 EUR
6010	G4, 9 x SMD 2835, fi 25 mm	TB - 3200 K	10-30V DC	120 LM	1,5 W	120°	5,10 EUR
6017	G4, 12 x SMD 2835, fi 30 mm	HB - 6000 K	10-30V DC	190 LM	2,0 W	120°	5,90 EUR
6014	G4, 12 x SMD 2835, fi 30 mm	TB - 3200 K	10-30V DC	170 LM	2,0 W	120°	5,90 EUR
6018	G4, 21 x SMD 2835, fi 35 mm	HB - 6000 K	10-30V DC	310 LM	3,0 W	120°	7,70 EUR
6029	G4, 21 x SMD 2835, fi 44 mm	HB - 6000 K	10-30V DC	378 LM	3,0 W	120°	7,70 EUR
6019	G4, 21 x SMD 2835, fi 35 mm	TB - 3200 K	10-30V DC	270 LM	3,0 W	120°	7,70 EUR
9964	G4, 10+6 x SMD 5050, fi 33 mm	t.bijela / crvena	10-30V DC	140 LM	1,8 W / 0,9 W	120°	12,50 EUR
9971	G4, 9 x SMD 5050, fi 30 mm	RGB	10-30V DC			120°	8,90 EUR

### LED žarulje G4 - pin pozadi



šifra art.	Podnožje, broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6023	G4, 9 x SMD 2835, fi 25 mm	HB - 6000 K	10-30V DC	130 LM	1,5 W	120°	5,40 EUR
6024	G4, 9 x SMD 2835, fi 25 mm	TB - 3200 K	10-30V DC	120 LM	1,5 W	120°	5,40 EUR
6021	G4, 12 x SMD 2835, fi 30 mm	HB - 6000 K	10-30V DC	190 LM	2,0 W	120°	5,90 EUR
6020	G4, 12 x SMD 2835, fi 30 mm	TB - 3200 K	10-30V DC	170 LM	2,0 W	120°	5,90 EUR
6025	G4, 21 x SMD 2835, fi 35 mm	HB - 6000 K	10-30V DC	310 LM	3,0 W	120°	nedostupno
6026	G4, 21 x SMD 2835, fi 35 mm	TB - 3200 K	10-30V DC	270 LM	3,0 W	120°	7,70 EUR
6028	G4, 21 x SMD 2835, fi 44 mm	HB - 6000 K	10-30V DC	378 LM	3,0 W	120°	7,70 EUR

### LED žarulje G4 bulb



šifra art.	Podnožje, broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6254	G4, 15x SMD Ultra bright 3528, fi 13, v 22 mm	HB - 6679 K	10-30V DC	146 LM	1,4 W	300°	6,80 EUR
9803	G4, 15x SMD Ultra bright 3528, fi 13, v 22 mm	TB - 2983 K	10-30V DC	136 LM	1,4 W	300°	6,80 EUR
6255	G4, 18x SMD 2835, fi 18, v 26 mm	HB - 6311 K	10-30V DC	271 LM	2,4 W	300°	7,70 EUR
5205	G4, 18x SMD 2835, fi 18, v 26 mm	TB - 3200 K	10-30V DC	241 LM	2,3 W	300°	7,70 EUR
2153	G4, 66x SMD 3528, fi 25, v 47 mm	HB - 6300 K	10-30V DC	347 LM	3,2 W	300°	8,20 EUR
8096	G4, 66x SMD 3528, fi 25, v 47 mm	TB - 2987 K	10-30V DC	319 LM	3,0 W	300°	8,20 EUR
1002	ADAPTER sa E27 na G4 podnožje						nedostupno
1008	ADAPTER sa E14 na G4 podnožje						nedostupno



### LED žarulje Bayonete BA9s



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9910	BA9s	12x SMD3014 - MICRO	TB - 3200 K	10-16V DC	35 LM	0,5 W	360°	5,80 EUR
9909	BA9s	5x SMD Ultra bright 3528	TB - 2973 K	10-30V DC	137 LM	1,4 W	360°	5,80 EUR
9942	BA9s	15x SMD Ultra bright 3528	TB - 2973 K	10-30V DC	137 LM	1,4 W	360°	6,50 EUR

## LED žarulje Bayonete BA15 - 8x SMD5050



**1,4 W**



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
5500	BA15d	8 x SMD5050	TB - 3200 K	10-30V DC	112 LM	1,4 W	120°	5,90 EUR
5501	BAY15d	8 x SMD5050	TB - 3200 K	10-30V DC	112 LM	1,4 W	120°	5,90 EUR
5502	BA15s	8 x SMD5050	TB - 3200 K	10-30V DC	112 LM	1,4 W	120°	5,90 EUR

## LED žarulje Bayonete BA15 - 15x SMD3528 ultra bright

**1,6 W**



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9955	BA15d	15 x SMD3528 ultra b.	HB - 6000 K	10-30V DC	165 LM	1,6 W	360°	8,20 EUR
9956	BAY15d	15 x SMD3528 ultra b.	HB - 6000 K	10-30V DC	165 LM	1,6 W	360°	8,20 EUR
9954	BA15s	15 x SMD3528 ultra b.	HB - 6000 K	10-30V DC	165 LM	1,6 W	360°	8,20 EUR
9960	BA15d	15 x SMD3528 ultra b.	TB - 3200 K	10-30V DC	150 LM	1,6 W	360°	8,20 EUR
9961	BAY15d	15 x SMD3528 ultra b.	TB - 3200 K	10-30V DC	150 LM	1,6 W	360°	8,20 EUR
9962	BA15s	15 x SMD3528 ultra b.	TB - 3200 K	10-30V DC	150 LM	1,6 W	360°	8,20 EUR

## LED žarulje Bayonete BA15 - 13x SMD2835

**1,9 W**




**10-30 V DC**



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
1350	BA15d	13 x SMD2835	TB - 3200 K	10-30V DC	185 LM	1,9 W	360°	8,50 EUR
1351	BAY15d	13 x SMD2835	TB - 3200 K	10-30V DC	185 LM	1,9 W	360°	8,50 EUR

## LED žarulje Bayonete BA15 - 18x SMD2835

**2,3 W**




šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
1330	BA15d	18 x SMD2835	TB - 3200 K	10-30V DC	260 LM	2,3 W	360°	8,80 EUR
1331	BAY15d	18 x SMD2835	TB - 3200 K	10-30V DC	260 LM	2,3 W	360°	8,80 EUR
1332	BA15s	18 x SMD2835	TB - 3200 K	10-30V DC	260 LM	2,3 W	360°	8,80 EUR

## LED žarulje Bayonete BA15 - 2,4W & 2,6W

2,4W




18x SMD 2835



2,4W




18x SMD 2835 - M



2,6W



24x SMD 2835




šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9973	BA15s	18 x SMD5050	TB - 3200 K	10-30V DC	231 LM	2,8 W	360°	8,50 EUR
2313	BA15d	18 x SMD2835	HB - 6000 K	10-30V DC	252 LM	2,4 W	360°	8,50 EUR
2314	BAY15d	18 x SMD2835	HB - 6000 K	10-30V DC	252 LM	2,4 W	360°	nedostupno
2310	BA15d	18 x SMD2835	TB - 3200 K	10-30V DC	216 LM	2,4 W	360°	8,50 EUR
2311	BAY15d	18 x SMD2835	TB - 3200 K	10-30V DC	216 LM	2,4 W	360°	nedostupno
9968	BA15d	18 x SMD2835 - M	HB - 6000 K	10-30V DC	286 LM	2,4 W	360°	8,50 EUR
2421	BAY15d	18 x SMD2835 - M	HB - 6000 K	10-30V DC	286 LM	2,4 W	360°	8,50 EUR
9970	BA15d	18 x SMD2835 - M	TB - 3200 K	10-30V DC	250 LM	2,4 W	360°	8,50 EUR
2420	BAY15d	18 x SMD2835 - M	TB - 3200 K	10-30V DC	250 LM	2,4 W	360°	8,50 EUR
2425	BA15s	24 x SMD2835	TB - 3200 K	10-30V DC	308 LM	2,6 W	360°	9,10 EUR
2422	BA15d	24 x SMD2835	TB - 3200 K	10-30V DC	308 LM	2,6 W	360°	9,10 EUR
2423	BAY15d	24 x SMD2835	TB - 3200 K	10-30V DC	308 LM	2,6 W	360°	9,10 EUR
2424	BAY15d	24 x SMD2835	HB - 6000 K	10-30V DC	320 LM	2,6 W	360°	9,10 EUR
2427	BA15d	24 x SMD2835	HB - 6000 K	10-30V DC	320 LM	2,6 W	360°	9,10 EUR



## LED žarulje Bayonete BA15 - 2W, 3W



2W  
10-30V DC



3W  
10-30V DC




šifra art.	tip podnožja	Opis proizvoda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
2367	BA15d	Keramičko kućište, parabola 360°	TB - 3200 K	10-30V DC	2,0 W	2,0 W	360°	6,50 EUR
2368	BAY15d	Keramičko kućište, parabola 360°	TB - 3200 K	10-30V DC	2,0 W	2,0 W	360°	6,50 EUR
2374	BA15d	Keramičko kućište, parabola 360°	TB - 3200 K	10-30V DC	3,0 W	3,0 W	360°	6,50 EUR

## LED žarulje Bayonete BA15 - 18x SMD2835 - SENZOR

2,4 W

SENZOR



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
5414	BA15d	18 x SMD2835	TB - 3200 K	10-30V DC	248 LM	2,4 W	360°	9,90 EUR
5415	BAY15d	18 x SMD2835	TB - 3200 K	10-30V DC	248 LM	2,4 W	360°	9,90 EUR

LED žarulja sa noćnim senzorom - automatsko paljenje ponoći!


## Adapteri bayonete na G4



šifra art.	Opis proizvoda	cjena sa pdv-jem
1003	Adapter sa bayonete BA15d na G4	1,90 EUR
1004	Adapter sa bayonete BAY15d na G4	1,90 EUR
1005	Adapter sa bayonete BA15s na G4	1,90 EUR



## LED žarulje Festoon 10-30 V DC




šifra art.	širina kontakta	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
1328	31 MM	4 x SMD2835	HB - 6300 K	10-30V DC	62 LM	0,6 W	120°	4,10 EUR
1329	31 MM	4 x SMD2835	TB - 3200 K	10-30V DC	54 LM	0,6 W	120°	4,10 EUR
2115	37 MM	3 x SMD2835	TB - 3200 K	10-30V DC	38 LM	0,6 W	120°	4,40 EUR
1344	37 MM	6 x SMD3014, staklena zaštita	HB - 6300 K	10-30V DC	68 LM	0,8 W	120°	4,40 EUR
1320	37 MM	6 x SMD2835	HB - 6300 K	10-30V DC	132 LM	1,3 W	120°	4,90 EUR
1321	37 MM	6 x SMD2835	TB - 3200 K	10-30V DC	118 LM	1,3 W	120°	4,90 EUR
9812	37 MM	6 x SMD5050	HB - 6300 K	10-30V DC	134 LM	1,5 W	120°	4,90 EUR
9963	42 MM	3 x SMD5050	HB - 6300 K	10-30V DC	45 LM	0,6 W	120°	4,40 EUR
9810	42 MM	6 x SMD5050	HB - 6300 K	10-30V DC	134 LM	1,5 W	120°	4,90 EUR
1325	42 MM	6 x SMD2835	HB - 6300 K	10-30V DC	132 LM	1,3 W	120°	4,90 EUR
1326	42 MM	6 x SMD2835	TB - 3200 K	10-30V DC	118 LM	1,3 W	120°	4,90 EUR
1340	42 MM	9 x SMD2835 - V	HB - 6300 K	10-30V DC	230 LM	1,9 W	210°	6,60 EUR
1341	42 MM	9 x SMD2835 - V	TB - 3200 K	10-30V DC	210 LM	1,9 W	210°	6,60 EUR

## Festoon 360° 10-30VDC



2140	31 MM	8 x SMD3528, ULTRA BRIGHT	TB - 3200 K	10-30V DC	79 LM	0,8 W	360°	5,90 EUR
9948	37 MM	12 x SMD3528, ULTRA BRIGHT	TB - 3200 K	10-30V DC	105 LM	1 W	360°	6,10 EUR
9864	42 MM	12 x SMD3528, ULTRA BRIGHT	TB - 3200 K	10-30V DC	105 LM	1 W	360°	6,10 EUR
9947	42 MM	12 x SMD3528, AS - uvučeni kontakti	HB - 6000 K	10-30V DC	116 LM	1 W	360°	7,50 EUR
9946	42 MM	12 x SMD3528, AS - uvučeni kontakti	TB - 3200 K	10-30V DC	105 LM	1 W	360°	7,50 EUR

## LED alu profili - SMD3014




šifra art.	dužina	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
6105	30 cm	42 x SMD3014	HB - 6000 K	10-30V DC	380 LM	5,0 W	120°	10,30 EUR
9885	50 cm	54 x SMD3014	HB - 6000 K	10-30V DC	470 LM	6,0 W	120°	12,50 EUR

## LED žarulje MR 16 (GU 5.3)




šifra art.	Opis proizvoda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9527	GU 5.3, 2.2W, staklo	TB - 3200 K	10-30V DC	240 LM	5,0 W	120°	7,50 EUR
9624	GU 5.3, 5W, SMD2835, mat staklo	TB - 3200 K	10-30V DC	350 LM	5,0 W	120°	7,90 EUR
9625	GU 5.3, 5W, SMD2835, mat staklo	HB - 6000 K	10-30V DC	370 LM	5,0 W	120°	7,90 EUR

## LED žarulje MR 11



šifra art.	tip podnožja	broj led dioda	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
9978	GU 4.0	3x SMD3535	TB - 3200 K	10-30V DC	170 LM	2,5 W	120°	6,90 EUR

## LED žarulje E14, E27 - 12V & 10-30V DC



šifra art.	Opis artikla	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
2231	E14, CORN, 24x SMD2835	HB - 6000K	10-30V DC	380 LM	2,8 W	360°	10,90 EUR
2230	E14, CORN, 24x SMD2835	TB - 3200 K	10-30V DC	360 LM	2,8 W	360°	10,90 EUR
2226	E27, CORN, 24x SMD2835	HB - 6000K	10-30V DC	380 LM	2,8 W	360°	11,50 EUR
2227	E27, CORN, 24x SMD2835	TB - 3200 K	10-30V DC	360 LM	2,8 W	360°	11,50 EUR
2221	E27, CORN, 24x SMD2835, PVC ZAŠTITA	HB - 6000K	10-30V DC	380 LM	2,8 W	360°	11,80 EUR
2220	E27, CORN, 24x SMD2835, PVC ZAŠTITA	TB - 3200 K	10-30V DC	360 LM	2,8 W	360°	11,80 EUR
6251	E27, CORN, 66x SMD2835, fi 31 mm, v 75 mm	HB - 6491K	10-30V DC	633 LM	5,6 W	360°	16,90 EUR
6250	E27, CORN, 66x SMD2835, fi 31 mm, v 75 mm	TB - 2879 K	10-30V DC	578 LM	5,5 W	360°	16,90 EUR
6241	E27, CORN, 90x SMD2835, fi 37 mm, v 82,7 mm	HB - 6491K	10-30V DC	1120 LM	9 W	360°	17,90 EUR
6240	E27, CORN, 90x SMD2835, fi 37 mm, v 82,7 mm	TB - 2879 K	10-30V DC	1000 LM	9 W	360°	17,90 EUR



**10-30V DC**

šifra art.	Opis artikla	boja svjetlosti	ulazni napon	svjetlostna jakost	Nazivna snaga	kut isijavanja	cjena sa pdv-jem
4288	E14, Thermoplastic, 6W, FI 45 mm, V 80 mm	TB - 3000 K	10-30V DC		6 W	240°	6,90 EUR
5148	E27, Thermoplastic, 7W, FI 60 mm, V 110 mm	TB - 3000 K	10-30V DC		7 W	240°	7,40 EUR
5149	E27, Thermoplastic, 10W, FI 60 mm, V 110 mm	TB - 3000 K	10-30V DC		10 W	240°	7,60 EUR
5150	E27, Thermoplastic, 10W, FI 60 mm, V 110 mm	HB - 6000 K	10-30V DC		10 W	240°	7,60 EUR
5141	E27, Thermoplastic, 15W, FI 70 mm, V 135 mm	TB - 3000 K	10-30V DC		15 W	240°	8,40 EUR
5140	E27, Thermoplastic, 15W, FI 70 mm, V 135 mm	HB - 6000 K	10-30V DC		15 W	240°	8,40 EUR
5143	E27, Thermoplastic, 18W, FI 80 mm, V 150 mm	TB - 3000 K	10-30V DC		18 W	240°	9,50 EUR
5142	E27, Thermoplastic, 18W, FI 80 mm, V 150 mm	HB - 6000 K	10-30V DC		18 W	240°	9,50 EUR

## LED reflektori 10-30V DC



**10 - 30 V DC**

šifra art.	Opis artikla	boja svjetlosti	ulazni napon	svjetlostna jakost	snaga W	kut isijavanja	cjena sa pdv-jem
2588	LED REFLEKTOR SLIM, SMD LED, 10 W	HB - 6000K	10-30V DC	800 LM	10 W	120°	19,00 EUR
2585	LED REFLEKTOR SLIM, SMD LED, 20 W	HB - 6000K	10-30V DC	1600 LM	20 W	120°	29,50 EUR
2586	LED REFLEKTOR SLIM, SMD LED, 20 W	TB - 3200 K	10-30V DC	1500 LM	20 W	120°	29,50 EUR
2590	LED REFLEKTOR SLIM, SMD LED, 35 W	HB - 6000K	10-30V DC	2700 LM	35 W	120°	35,00 EUR
2595	LED REFLEKTOR SLIM, SMD LED, 50 W	HB - 6000K	10-30V DC	0 LM	50 W	120°	48,00 EUR
2596	LED REFLEKTOR SLIM, SMD LED, 100 W	HB - 6000K	10-30V DC	0 LM	100 W	120°	72,00 EUR
2240	RADNI REFLEKTOR 20 W - kockasti, IP67	HB - 6000K	10-30V DC	1900 LM	20 W	36°	29,50 EUR